


CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC
654 NORTH STATE STREET
JACKSON, MISSISSIPPI 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: SEE PAGES 9-13.



I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.

LEGEND

- - 1/2" ROD, PS 47950 (UNLESS NOTED)
- - MONUMENT
- x - FENCE LINE
- Ⓢ - CENTERLINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION
- P - PLATTED DIMENSION
- ENC. - ENCROACHMENT



CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE., P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY

LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691R

CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC
654 NORTH STATE STREET
JACKSON, MISSISSIPPI 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: SEE PAGES 9-13.

N 1/4 CORNER
SECTION 30, T55N, R34W

5/8" PIN W/CO. BRASS CAP
WITHIN 1 1/4" I. PIPE

WITNESSES OF RECORD:
6" BALSAM N28°W 7.91',
4" OAK S88°E 17.77',
8" BALSAM S26°W 8.22',
4" S. MAPLE N62°W 19.48'.

W 1/4 CORNER
SECTION 30, T55N, R34W

5/8" PIN W/CO. BRASS CAP

WITNESSES OF RECORD:
6" OAK N77°E 5.25',
7" OAK S05°W 5.87',
3" HARD MAPLE N81°W 29.06',
8" OAK N29°W 2.51'.

E 1/4 CORNER
SECTION 30, T55N, R34W

5/8" PIN W/CO. BRASS CAP
WITHIN MONUMENT BOX,

WITNESSES OF RECORD:
5" BASSWOOD N51°E 43.91',
5" APPLE S38°E 45.92',
9" ELM S68°W 52.61',
PHONE PED SUPPORT POST
N42°W 40.70'.

S 1/4 CORNER
SECTION 30, T55N, R34W

5/8" PIN W/CO. BRASS CAP
WITHIN MONUMENT BOX,

WITNESSES OF RECORD:
17" OAK NORTH 31.00',
15" OAK N56°E 38.64',
5" HARD MAPLE S09°E 39.90',
6" RED PINE S63°W 84.16'.

SE CORNER
SECTION 30, T55N, R34W

5/8" PIN W/CO. BRASS CAP
WITHIN MONUMENT BOX,

WITNESSES OF RECORD:
10" HARD MAPLE N26°E 72.60',
UTILITY POLE S42°E 40.35',
10" HARD MAPLE S60°W 26.88',
8" HARD MAPLE N34°W 35.50'.

C 1/4 CORNER
SECTION 30, T55N, R34W

1/2" REBAR W/CAP PS 47950

WITNESSES:
7" BLACK ASH N82°E 14.14',
7" YELLOW BIRCH S22°E 26.57',
14" YELLOW BIRCH S80°W 14.99',
3" SUGAR MAPLE N50°W 18.14'.



I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.

LEGEND

- - 1/2" ROD, PS 47950 (UNLESS NOTED)
- - MONUMENT
- X - X FENCE LINE
- ⊕ - CENTERLINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION
- P - PLATTED DIMENSION
- ENC. - ENCROACHMENT




CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE., P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY Joseph A. Foster
LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691R


CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC
654 NORTH STATE STREET
JACKSON, MISSISSIPPI 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: SEE PAGE 9.



SURVEY AND BEARINGS BASED UPON THE 2008 COUNTY REMONUMENTATION SURVEY ACCOMPLISHED BY STEVEN C. HEIN, PS 32336



SCALE: 1"=200'

I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.

LEGEND

- - 1/2" CAPPED ROD, PS 47950 (UNLESS NOTED)
- - MONUMENT
- X - X FENCE LINE
- ⊙ - CENTERLINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION
- P - PLATTED DIMENSION
- ENC. - ENCROACHMENT




CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE. P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY Joseph A. Foster
LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691(1-3)R

CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC
654 NORTH STATE STREET
JACKSON, MISSISSIPPI, 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: SEE PAGE 10.



E 1/4 CORNER
SECTION 30, T55N, R34W
5/8" PIN W/CO. BRASS CAP
WITHIN MONUMENT BOX,
WITNESSES OF RECORD:
5" BASSWOOD N51°E 43.91',
5" APPLE S38°E 45.92',
9" ELM S68°W 52.61',
PHONE PED SUPPORT POST
N42°W 40.70'.

SE CORNER
SECTION 30, T55N, R34W
5/8" PIN W/CO. BRASS CAP
WITHIN MONUMENT BOX,
WITNESSES OF RECORD:
10" HARD MAPLE N26°E 72.60',
UTILITY POLE S42°E 40.35',
10" HARD MAPLE S60°W 26.88',
8" HARD MAPLE N34°W 35.50'.



SCALE: 1"=200'

SURVEY AND BEARINGS BASED UPON
THE 2008 COUNTY REMONUMENTATION SURVEY
ACCOMPLISHED BY STEVEN C. HEIN, PS 32336

I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.

LEGEND

- - 1/2" CAPPED ROD, PS 47950 (UNLESS NOTED)
- - MONUMENT
- X - X FENCE LINE
- Ⓢ - CENTERLINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION
- P - PLATTED DIMENSION
- ENC. - ENCROACHMENT



CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE. P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY Joseph A. Foster
LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691(4-5)R

CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC
654 NORTH STATE STREET
JACKSON, MISSISSIPPI 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: SEE PAGES 10 & 11.

E 1/4 CORNER
SECTION 30, T55N, R34W

5/8" PIN W/CO. BRASS CAP
WITHIN MONUMENT BOX,

WITNESSES OF RECORD:

5" BASSWOOD N51°E 43.91',
5" APPLE S38°E 45.92',
9" ELM S68°W 52.61',
PHONE PED SUPPORT POST
N42°W 40.70'.

S 1/4 CORNER
SECTION 30, T55N, R34W

5/8" PIN W/CO. BRASS CAP
WITHIN MONUMENT BOX,

WITNESSES OF RECORD:


17" OAK NORTH 31.00',
15" OAK N56°E 38.64',
5" HARD MAPLE S09°E 39.90',
6" RED PINE S63°W 84.16'.

SE CORNER
SECTION 30, T55N, R34W


5/8" PIN W/CO. BRASS CAP
WITHIN MONUMENT BOX,

WITNESSES OF RECORD:

10" HARD MAPLE N26°E 72.60',
UTILITY POLE S42°E 40.35',
10" HARD MAPLE S60°W 26.88',
8" HARD MAPLE N34°W 35.50'.



SURVEY AND BEARINGS BASED UPON
THE 2008 COUNTY REMONUMENTATION SURVEY
ACCOMPLISHED BY STEVEN C. HEIN, PS 32336



(IN FEET)
1 inch = 200 ft.

SCALE: 1"=200'



I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.

LEGEND

- - 1/2" CAPPED ROD, PS 47950 (UNLESS NOTED)
- - MONUMENT
- X - X FENCE LINE
- ⊕ - CENTERLINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION
- P - PLATTED DIMENSION
- ENC. - ENCROACHMENT




CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE. P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY Joseph A. Foster
LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691(6-7)R

CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC
654 NORTH STATE STREET
JACKSON, MISSISSIPPI 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: SEE PAGES 11 & 12.



S 1/4 CORNER
SECTION 30, T55N, R34W
5/8" PIN W/CO. BRASS CAP
WITHIN MONUMENT BOX,
WITNESSES OF RECORD:
17" OAK NORTH 31.00',
15" OAK N56°E 38.64',
5" HARD MAPLE S09°E 39.90',
6" RED PINE S63°W 84.16'.



SE CORNER
SECTION 30, T55N, R34W
5/8" PIN W/CO. BRASS CAP
WITHIN MONUMENT BOX,
WITNESSES OF RECORD:
10" HARD MAPLE N26°E 72.60',
UTILITY POLE S42°E 40.35',
10" HARD MAPLE S60°W 26.88',
8" HARD MAPLE N34°W 35.50'.

SCALE: 1"=200'

I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.

LEGEND

- - 1/2" CAPPED ROD, PS 47950 (UNLESS NOTED)
- - MONUMENT
- X - X FENCE LINE
- ⊙ - CENTERLINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION
- P - PLATTED DIMENSION
- ENC. - ENCROACHMENT




CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE. P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY Joseph A. Foster
LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691(B-9)R

CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC
654 NORTH LAKE STREET
JACKSON, MISSISSIPPI 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: SEE PAGES 12 & 13.



C 1/4 CORNER
SECTION 30, T55N, R34W
1/2" DIA. REBAR W/CAP PS 47950,
WITNESSES:

7" BLACK ASH N82°E 14.14',
7" YELLOW BIRCH S22°E 26.57',
14" YELLOW BIRCH S80°W 14.99',
3" SUGAR MAPLE N50°W 18.14'.

S 1/4 CORNER
SECTION 30, T55N, R34W
5/8" PIN W/CO. BRASS CAP
WITHIN MONUMENT BOX,
WITNESSES OF RECORD:

17" OAK NORTH 31.00',
15" OAK N56°E 38.64',
5" HARD MAPLE S09°E 39.90',
6" RED PINE S63°W 84.16'.

SE CORNER
SECTION 30, T55N, R34W
5/8" PIN W/CO. BRASS CAP
WITHIN MONUMENT BOX,
WITNESSES OF RECORD:

10" HARD MAPLE N26°E 72.60',
UTILITY POLE S42°E 40.35',
10" HARD MAPLE S60°W 26.88',
8" HARD MAPLE N34°W 35.50'.



SCALE: 1"=200'

I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.

LEGEND

- - 1/2" ROD, PS 47950 (UNLESS NOTED)
- - MONUMENT
- X - X FENCE LINE
- Ⓢ - CENTERLINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION
- P - PLATTED DIMENSION
- ENC. - ENCROACHMENT




CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE., P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY Joseph A. Foster
LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691(10-11)R

CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC
654 NORTH STATE STREET
JACKSON, MISSISSIPPI 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS: SEE PAGE 13 & 13A.



I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.

CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE. P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY Joseph A. Foster
LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691(12)R

CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC AND
654 NORTH STATE STREET
JACKSON, MISSISSIPPI 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS:

PARCEL 1:

THE NORTH HALF OF THE NORTH HALF OF THE NORTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE EAST QUARTER CORNER OF SAID SECTION 30; THENCE S00°31'25"E, ALONG THE EAST LINE OF SAID SECTION 30, A DISTANCE OF 327.61 FEET; THENCE N88°51'57"W A DISTANCE OF 1,282.66 FEET; THENCE N00°21'31"E A DISTANCE OF 329.06 FEET TO THE NORTH LINE OF SAID SOUTHEAST QUARTER; THENCE S88°47'46"E, ALONG SAID NORTH LINE, A DISTANCE OF 1,277.64 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 9.65 ACRES OF LAND, MORE OR LESS.

SUBJECT TO THE RIGHT-OF-WAY OF RAUHALA ROAD AND ANY OTHER CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.

PARCEL 2:

THE SOUTH HALF OF THE NORTH HALF OF THE NORTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE EAST QUARTER CORNER OF SAID SECTION 30; THENCE S00°31'25"E, ALONG THE EAST LINE OF SAID SECTION 30, A DISTANCE OF 327.61 FEET TO THE POINT OF BEGINNING; THENCE S00°31'25"E, CONTINUING ALONG SAID EAST LINE, A DISTANCE OF 327.62 FEET; THENCE N88°56'05"W A DISTANCE OF 1,287.68 FEET; THENCE N00°21'31"E A DISTANCE OF 329.06 FEET; THENCE S88°51'57"E A DISTANCE OF 1,282.66 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 9.68 ACRES OF LAND, MORE OR LESS.

SUBJECT TO THE RIGHT-OF-WAY OF RAUHALA ROAD AND ANY OTHER CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.

PARCEL 3:

THE NORTH HALF OF THE SOUTH HALF OF THE NORTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE EAST QUARTER CORNER OF SAID SECTION 30; THENCE S00°31'25"E, ALONG THE EAST LINE OF SAID SECTION 30, A DISTANCE OF 655.23 FEET TO THE POINT OF BEGINNING; THENCE S00°31'25"E, CONTINUING ALONG SAID EAST LINE, A DISTANCE OF 327.62 FEET; THENCE N89°00'12"W A DISTANCE OF 1,292.72 FEET; THENCE N00°21'31"E A DISTANCE OF 329.06 FEET; THENCE S88°56'05"E A DISTANCE OF 1,287.68 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 9.72 ACRES OF LAND, MORE OR LESS.

SUBJECT TO THE RIGHT-OF-WAY OF RAUHALA ROAD AND ANY OTHER CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.



I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.

LEGEND

- - 1/2" CAPPED ROD, PS 47950 (UNLESS NOTED)
- - MONUMENT
- X - X FENCE LINE
- ℄ - CENTERLINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION
- P - PLATTED DIMENSION
- ENC. - ENCROACHMENT



CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE. P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY Joseph A. Foster
LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691R

CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC AND
654 NORTH STATE STREET
JACKSON, MISSISSIPPI 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS:

PAGE 10 OF 13

PARCEL 4:

THE SOUTH HALF OF THE SOUTH HALF OF THE NORTHEAST QUARTER OF THE SOUTHEAST QUARTER AND THE NORTH HALF OF THE NORTH HALF OF THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE EAST QUARTER CORNER OF SAID SECTION 30; THENCE S00°31'25"E, ALONG THE EAST LINE OF SAID SECTION 30, A DISTANCE OF 982.85 FEET TO THE POINT OF BEGINNING; THENCE S00°31'25"E, CONTINUING ALONG SAID EAST LINE, A DISTANCE OF 655.24 FEET; THENCE N89°08'19"W A DISTANCE OF 1,302.76 FEET; THENCE N00°21'31"E A DISTANCE OF 658.12 FEET; THENCE S89°00'12"E A DISTANCE OF 1,292.72 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 19.56 ACRES OF LAND, MORE OR LESS.

SUBJECT TO THE RIGHT-OF-WAY OF RAUHALA ROAD AND ANY OTHER CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.

PARCEL 5:

THE SOUTH HALF OF THE NORTH HALF OF THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE EAST QUARTER CORNER OF SAID SECTION 30; THENCE S00°31'25"E, ALONG THE EAST LINE OF SAID SECTION 30, A DISTANCE OF 1,638.09 FEET TO THE POINT OF BEGINNING; THENCE S00°31'25"E, CONTINUING ALONG SAID EAST LINE, A DISTANCE OF 327.62 FEET; THENCE N89°12'20"W A DISTANCE OF 1,307.80 FEET; THENCE N00°21'31"E A DISTANCE OF 329.06 FEET; THENCE S89°08'19"E A DISTANCE OF 1,302.76 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 9.84 ACRES OF LAND, MORE OR LESS.

SUBJECT TO THE RIGHT-OF-WAY OF RAUHALA ROAD AND ANY OTHER CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.

PARCEL 6:

THE EAST THREE QUARTERS OF THE NORTH HALF OF THE SOUTH HALF OF THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE EAST QUARTER CORNER OF SAID SECTION 30; THENCE S00°31'25"E, ALONG THE EAST LINE OF SAID SECTION 30, A DISTANCE OF 1,965.71 FEET TO THE POINT OF BEGINNING; THENCE S00°31'25"E, CONTINUING ALONG SAID EAST LINE, A DISTANCE OF 327.62 FEET; THENCE N89°16'18"W A DISTANCE OF 984.63 FEET; THENCE N00°08'19"E A DISTANCE OF 328.69 FEET; THENCE S89°12'20"E A DISTANCE OF 980.85 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 7.40 ACRES OF LAND, MORE OR LESS.

SUBJECT TO THE RIGHT-OF-WAY OF RAUHALA ROAD AND ANY OTHER CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.



I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.

LEGEND

- - 1/2" CAPPED ROD, PS 47950 (UNLESS NOTED)
- - MONUMENT
- X - X FENCE LINE
- Ⓢ - CENTERLINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION
- P - PLATTED DIMENSION
- ENC. - ENCROACHMENT



CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE. P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY Joseph A. Foster
LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691R

CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC AND
654 NORTH STATE STREET
JACKSON, MISSISSIPPI 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS:

PAGE 11 OF 13

PARCEL 7:

ALL THAT PART OF THE EAST THREE QUARTERS OF THE SOUTH HALF OF THE SOUTH HALF OF THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE EAST QUARTER CORNER OF SAID SECTION 30; THENCE S00°31'25"E, ALONG THE EAST LINE OF SAID SECTION 30, A DISTANCE OF 2,293.33 FEET TO THE POINT OF BEGINNING; THENCE S00°31'25"E, CONTINUING ALONG SAID EAST LINE, A DISTANCE OF 257.62 FEET TO A POINT THAT BEARS N00°31'25"W A DISTANCE OF 70.00 FEET FROM THE SOUTHEAST CORNER OF SAID SECTION 30; THENCE N89°20'16"W, PARALLEL WITH THE SOUTH LINE OF SAID SECTION 30, A DISTANCE OF 241.00 FEET; THENCE S00°31'25"E, PARALLEL WITH THE EAST LINE OF SAID SECTION 30, A DISTANCE OF 70.00 FEET TO THE SOUTH LINE OF SAID SECTION 30; THENCE N89°20'16"W, ALONG SAID SOUTH LINE, A DISTANCE OF 747.40 FEET; THENCE N00°08'19"E A DISTANCE OF 328.69 FEET; THENCE S89°16'18"E A DISTANCE OF 984.63 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 7.04 ACRES OF LAND, MORE OR LESS.

SUBJECT TO THE RIGHT-OF-WAY OF RAUHALA ROAD AND ANY OTHER CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.

EXCEPTION TO PARCEL 7:

ALL THAT PART OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, DESCRIBED AS FOLLOWS:

BEGINNING AT THE SOUTHEAST CORNER OF SAID SECTION 30; THENCE N89°20'16"W, ALONG THE SOUTH LINE OF SAID SECTION 30, A DISTANCE OF 241.00 FEET; THENCE N00°31'25"W, PARALLEL WITH THE EAST LINE OF SAID SECTION 30, A DISTANCE OF 70.00 FEET; THENCE S89°20'16"E, PARALLEL WITH THE SOUTH LINE OF SAID SECTION 30, A DISTANCE OF 241.00 FEET TO THE EAST LINE OF SAID SECTION 30; THENCE S00°31'25"E, ALONG SAID EAST LINE, A DISTANCE OF 70.00 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 0.39 ACRES, MORE OR LESS.

SUBJECT TO THE RIGHT-OF-WAY OF RAUHALA ROAD AND ANY OTHER CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.

PARCEL 8:

THE EAST HALF OF THE SOUTHEAST QUARTER OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER AND THE WEST HALF OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30 AND THAT PART OF THE NORTHWEST QUARTER OF THE NORTHEAST QUARTER OF SECTION 31, LYING NORTH OF THE CENTERLINE OF COLES CREEK ROAD, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SAID SECTION 30; THENCE N89°20'16"W, ALONG THE SECTION LINE COMMON TO SAID SECTION 30 & 31, A DISTANCE OF 988.40 FEET TO THE POINT OF BEGINNING; THENCE N89°20'16"W, CONTINUING ALONG SAID SECTION LINE, A DISTANCE OF 329.47 FEET; THENCE S00°28'18"E, ALONG THE EAST LINE OF SAID NORTHWEST QUARTER OF THE NORTHEAST QUARTER, A DISTANCE OF 411.03 FEET TO A POINT ON THE CENTERLINE OF SAID COLES CREEK ROAD; THENCE ALONG SAID CENTERLINE THE FOLLOWING THREE COURSES: WESTERLY A DISTANCE OF 53.76 FEET ALONG THE ARC OF A NON-TANGENTIAL HORIZONTAL CIRCULAR CURVE TO THE LEFT HAVING A RADIUS OF 700.00 FEET AND A CHORD BEARING & DISTANCE OF S82°42'03"W 53.74 FEET (I=04°24'00") TO A POINT OF TANGENCY; THENCE S80°30'03"W A DISTANCE OF 211.72 FEET TO A POINT OF CURVATURE; THENCE WESTERLY A DISTANCE OF 75.78 FEET ALONG THE ARC OF A TANGENTIAL HORIZONTAL CIRCULAR CURVE TO THE RIGHT HAVING A CHORD BEARING & DISTANCE OF S84°38'09"W 75.71 FEET (I=08°16'13"); THENCE N00°34'40"E A DISTANCE OF 463.70 FEET TO SAID SECTION LINE; THENCE CONTINUING N00°34'30"E A DISTANCE OF 658.87 FEET; THENCE S89°12'20"E A DISTANCE OF 653.90 FEET; THENCE S00°08'19"W A DISTANCE OF 657.38 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 13.28 ACRES OF LAND, MORE OR LESS.

SUBJECT TO THE RIGHT-OF-WAY OF COLES CREEK ROAD AND ANY OTHER CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.

I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.



LEGEND

- - 1/2" CAPPED ROD, PS 47950 (UNLESS NOTED)
- - MONUMENT
- X - X FENCE LINE
- Ⓢ - CENTERLINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION
- P - PLATTED DIMENSION
- ENC. - ENCROACHMENT



CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE. P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY Joseph A. Foster
LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691R

CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC AND
654 NORTH STATE STREET
JACKSON, MISSISSIPPI 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS:

PAGE 12 OF 13

PARCEL 9:

THE WEST HALF OF THE SOUTHEAST QUARTER OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30 AND THAT PART OF THE NORTHWEST QUARTER OF THE NORTHEAST QUARTER OF SECTION 31, LYING NORTH OF THE CENTERLINE OF COLES CREEK ROAD, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SAID SECTION 30; THENCE N89°20'16"W, ALONG THE SECTION LINE COMMON TO SAID SECTIONS 30 & 31, A DISTANCE OF 1,647.34 FEET TO THE POINT OF BEGINNING; THENCE S00°34'40"W A DISTANCE OF 463.70 FEET TO A POINT ON THE CENTERLINE OF SAID COLES CREEK ROAD; THENCE ALONG SAID CENTERLINE THE FOLLOWING TWO COURSES: WESTERLY A DISTANCE OF 277.88 FEET ALONG THE ARC OF A NON-TANGENTIAL HORIZONTAL CIRCULAR CURVE TO THE RIGHT HAVING A RADIUS OF 525.00 FEET AND A CHORD BEARING & DISTANCE OF N76°03'57"W 274.64 FEET (I=30°19'34") TO A POINT OF TANGENCY; THENCE N60°54'10"W A DISTANCE OF 72.44 FEET; THENCE N00°47'48"E A DISTANCE OF 366.16 FEET TO SAID SECTION LINE; THENCE CONTINUING N00°47'48"E A DISTANCE OF 659.62 FEET; THENCE S89°12'20"E A DISTANCE OF 326.95 FEET; THENCE S00°34'40"W A DISTANCE OF 658.87 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 8.25 ACRES OF LAND, MORE OR LESS.

SUBJECT TO THE RIGHT-OF-WAY OF COLES CREEK ROAD AND ANY OTHER CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.

PARCEL 10:

THE EAST HALF OF THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30 AND THAT PART OF THE NORTHWEST QUARTER OF THE NORTHEAST QUARTER OF SECTION 31, LYING NORTH OF THE CENTERLINE OF COLES CREEK ROAD, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SAID SECTION 30; THENCE N89°20'16"W, ALONG THE SECTION LINE COMMON TO SAID SECTIONS 30 & 31, A DISTANCE OF 1,976.81 FEET TO THE POINT OF BEGINNING; THENCE S00°47'48"W A DISTANCE OF 366.16 FEET TO A POINT ON THE CENTERLINE OF SAID COLES CREEK ROAD; THENCE ALONG SAID CENTERLINE THE FOLLOWING 2 COURSES: N60°54'10"W A DISTANCE OF 275.59 FEET TO A POINT OF CURVATURE; THENCE NORTHWESTERLY A DISTANCE OF 103.55 FEET ALONG THE ARC OF A TANGENTIAL HORIZONTAL CIRCULAR CURVE TO THE RIGHT HAVING A RADIUS OF 750.00 FEET AND A CHORD BEARING & DISTANCE OF N56°56'51"W 103.47 FEET (I=07°54'38"); THENCE N01°00'54"E A DISTANCE OF 179.51 FEET TO SAID SECTION LINE; THENCE CONTINUING N01°00'54"E A DISTANCE OF 660.38 FEET; THENCE S89°12'20"E A DISTANCE OF 326.95 FEET; THENCE S00°47'48"W A DISTANCE OF 659.62 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 7.06 ACRES OF LAND, MORE OR LESS.

SUBJECT TO THE RIGHT-OF-WAY OF COLES CREEK ROAD AND ANY OTHER CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.



I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.

LEGEND

- - 1/2" CAPPED ROD, PS 47950 (UNLESS NOTED)
- - MONUMENT
- X - X FENCE LINE
- Ⓢ - CENTERLINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION
- P - PLATTED DIMENSION
- ENC. - ENCROACHMENT



CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE. P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY Joseph A. Foster
LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691R

CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC AND
654 NORTH STATE STREET
JACKSON, MISSISSIPPI 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS:

PAGE 13 OF 13

PARCEL 11:

THE WEST HALF OF THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30 AND THAT PART OF THE NORTHWEST QUARTER OF THE NORTHEAST QUARTER OF SECTION 31, LYING NORTH OF THE CENTERLINE OF COLES CREEK ROAD, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SAID SECTION 30; THENCE N89°20'16"W, ALONG THE SECTION LINE COMMON TO SAID SECTIONS 30 & 31, A DISTANCE OF 2,306.28 FEET TO THE POINT OF BEGINNING; THENCE S01°00'54"W A DISTANCE OF 179.51 FEET TO A POINT ON THE CENTERLINE OF SAID COLES CREEK ROAD; THENCE ALONG SAID CENTERLINE THE FOLLOWING THREE COURSES: NORTHWESTERLY A DISTANCE OF 7.29 FEET ALONG THE ARC OF A NON-TANGENTIAL HORIZONTAL CIRCULAR CURVE TO THE RIGHT HAVING A RADIUS OF 750.00 FEET AND A CHORD BEARING AND DISTANCE OF N52°42'49"W 7.29 FEET (I=0°33'26") TO A POINT OF TANGENCY; THENCE N52°26'06"W A DISTANCE OF 149.98 FEET TO A POINT OF CURVATURE; THENCE NORTHWESTERLY A DISTANCE OF 221.95 FEET ALONG THE ARC OF A TANGENTIAL HORIZONTAL CIRCULAR CURVE TO THE LEFT HAVING A CHORD BEARING AND DISTANCE OF N66°33'54"W 219.71 FEET (I=28°15'35") TO THE QUARTER CORNER COMMON TO SAID SECTIONS 30 & 31; THENCE N01°13'58"E, ALONG THE WEST LINE OF SAID SOUTHEAST QUARTER, A DISTANCE OF 661.17 FEET; THENCE S89°12'20"E A DISTANCE OF 326.95 FEET; THENCE S01°00'54"W A DISTANCE OF 660.38 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 5.52 ACRES, MORE OR LESS.

SUBJECT TO AN EASEMENT FOR INGRESS, EGRESS, AND UTILITY PURPOSES OVER, UNDER, AND ACROSS THE WEST 33.00 FEET OF THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN.

AND

SUBJECT TO THE RIGHT-OF-WAY OF COLES CREEK ROAD AND ANY OTHER CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.

PARCEL 12:

THE NORTH HALF OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER AND THE NORTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTH QUARTER CORNER OF SAID SECTION 30; THENCE N01°13'58"E, ALONG THE WEST LINE OF SAID SOUTHEAST QUARTER, A DISTANCE OF 661.17 FEET TO THE POINT OF BEGINNING; THENCE N01°13'58"E, CONTINUING ALONG SAID WEST LINE, A DISTANCE OF 1,983.49 FEET TO THE NORTHWEST CORNER OF SAID SOUTHEAST QUARTER; THENCE S88°47'46"E, ALONG THE NORTH LINE OF SAID SOUTHEAST QUARTER, A DISTANCE OF 1,277.64 FEET; THENCE S00°21'31"W A DISTANCE OF 1,974.36 FEET; THENCE N89°12'20"W A DISTANCE OF 1,307.80 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 58.73 ACRES, MORE OR LESS.

TOGETHER WITH AN EASEMENT FOR INGRESS, EGRESS, AND UTILITY PURPOSES OVER, UNDER, AND ACROSS THE WEST 33.00 FEET OF THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN.

SUBJECT TO ANY CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.



I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.

LEGEND

- - 1/2" CAPPED ROD, PS 47950 (UNLESS NOTED)
- - MONUMENT
- X - X FENCE LINE
- Ⓢ - CENTERLINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION
- P - PLATTED DIMENSION
- ENC. - ENCROACHMENT



CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE. P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY Joseph A. Foster
LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691R

CERTIFICATE OF SURVEY

FOR: LAKE SUPERIOR TIMBERLANDS, LLC AND
654 NORTH STATE STREET
JACKSON, MISSISSIPPI 39202

SURVEY OF PROPERTY LEGALLY DESCRIBED AS:

PAGE 13A OF 13

PARCEL 12A:

THE NORTH HALF OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER AND THE SOUTH HALF OF THE NORTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTH QUARTER CORNER OF SAID SECTION 30; THENCE N01°13'58"E, ALONG THE WEST LINE OF SAID SOUTHEAST QUARTER, A DISTANCE OF 661.17 FEET TO THE POINT OF BEGINNING; THENCE N01°13'58"E, CONTINUING ALONG SAID WEST LINE, A DISTANCE OF 1,322.33 FEET; THENCE S88°56'05"E A DISTANCE OF 1,287.68 FEET; THENCE S00°21'31"W A DISTANCE OF 1,316.24 FEET; THENCE N89°12'20"W A DISTANCE OF 1,307.80 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 39.30 ACRES, MORE OR LESS.

TOGETHER WITH AN EASEMENT FOR INGRESS, EGRESS, AND UTILITY PURPOSES OVER, UNDER, AND ACROSS THE WEST 33.00 FEET OF THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN.

SUBJECT TO ANY CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.

PARCEL 12B:

THE NORTH HALF OF THE NORTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 30, T55N, R34W, STANTON TOWNSHIP, HOUGHTON COUNTY, MICHIGAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTH QUARTER CORNER OF SAID SECTION 30; THENCE N01°13'58"E, ALONG THE WEST LINE OF SAID SOUTHEAST QUARTER, A DISTANCE OF 1,983.50 FEET TO THE POINT OF BEGINNING; THENCE N01°13'58"E, CONTINUING ALONG SAID WEST LINE, A DISTANCE OF 661.16 FEET TO THE NORTHWEST CORNER OF SAID SOUTHEAST QUARTER; THENCE S88°47'46"E, ALONG THE NORTH LINE OF SAID SOUTHEAST QUARTER, A DISTANCE OF 1,277.64 FEET; THENCE S00°21'31"W A DISTANCE OF 658.12 FEET; THENCE N88°56'05"W A DISTANCE OF 1,287.68 FEET TO THE POINT OF BEGINNING; SAID PARCEL SO DESCRIBED CONTAINS 19.43 ACRES, MORE OR LESS.

SUBJECT TO ANY CONDITIONS, EASEMENTS, EXCEPTIONS, RESERVATIONS, RESTRICTIONS, OR RIGHTS-OF-WAY OF RECORD.



I, JOSEPH A. FOSTER, HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS ACCOMPLISHED AND PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT I AM A DULY LICENSED PROFESSIONAL SURVEYOR UNDER THE LAWS OF THE STATE OF MICHIGAN, THAT THE RATIO OF CLOSURE OF THE UNADJUSTED FIELD OBSERVATIONS IS NOT GREATER THAN 1 PART IN 5000, AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF PUBLIC ACT 132 OF 1970, AS AMENDED.

LEGEND

- - 1/2" CAPPED ROD, PS 47950 (UNLESS NOTED)
- - MONUMENT
- X - X FENCE LINE
- ℄ - CENTERLINE
- R - RECORDED DIMENSION
- D - DEEDED DIMENSION
- M - MEASURED DIMENSION
- P - PLATTED DIMENSION
- ENC. - ENCROACHMENT



CRAMPTON SURVEYING, INC.
52310 DUNCAN AVE. P.O. BOX 206
HUBBELL, MICHIGAN 49934 (906) 296-0025

BY Joseph A. Foster
LICENSED PROFESSIONAL SURVEYOR LICENSE NUMBER 47950
DATE JUNE 6, 2017 DRAWING NO. S-2-2691R